

Status:	CLOSED	Start date:	2023-05-10
Priority:	Normal	Due date:	
Assignee:	CDTS_Test 吴诗雨	% Done:	0%
Category:	依赖客户及其供应商解决	Estimated time:	0.00 hour
Target version:		Found Version:	副屏版本：01.00.0094.c103 中控版本：03.02.0078.C101
Need_Info:	TEST	Degrated:	--
Resolution:	--	Verified Version:	
Severity:	Normal	Fixed Version:	
Reproducibility:	Every time	Root cause:	
Test Type:	ST		
Description			
【环境信息】EE环境 【问题出现时间】：20230509 17：06 【前提条件】：车机上电, 副屏熄屏 【操作步骤】 1. 中控端使用语音功能，输入指令“副屏亮屏” 2. 副屏响应中控的语音指令而亮屏 3. 中控退出语音识别，副屏再次通过点击控制中心中的熄屏按钮而熄屏 【实际结果】 副屏在熄屏后会会自动亮屏，手动熄屏后还是会自动亮屏 【期望结果】 副屏熄屏后不会自动亮屏 【车架号】： 【备注】： 副屏log地址：https://ofs.human-horizons.com/#/download/index/LNsgcFDUwH0%3D 【影响版本】：副屏：01.00.0094.c103 中控：03.02.0078.C101 【硬件版本号】：/ 【是否能恢复】：			
Related issues:			
Related to Figure - Bug # 117852: 【IOVDEV-26825】 【内部】 【VC1】 ...		CLOSED	2023-05-10

History

- #1 - 2023-05-11 14:40 - CD FW-程天颖
- Status changed from New to ASSIGNED
- Assignee changed from CD FW-程天颖 to CDTS_Test 吴诗雨
- Need_Info changed from -- to TEST

Hi, 诗雨：

我的中控无法语音控制，不能复现，Tlog里面没有看到关键点日志，需要重新测试，抓取日志，建议adb抓副屏日志。

- #2 - 2023-05-11 14:41 - CD FW-程天颖

- Status changed from ASSIGNED to NEED_INFO

#3 - 2023-05-15 21:26 - CDTS_TEST 王成

- File 20点41分复现IOVDEV-26824.7z added

- Assignee changed from CDTS_Test 吴诗雨 to CD FW-程天颖

20点41分复测截取adb log。如此问题描述：副屏熄屏情况下，

1. 中控端使用语音功能，输入指令“ 打开副屏 ”

2. 副屏响应中控的语音指令而亮屏

3. 副屏控制中心点击熄屏

现象：副屏熄屏后会自动亮屏。再次进控制中心点击熄屏，副屏熄屏后还是会自动亮屏

#4 - 2023-05-16 15:38 - CD FW-程天颖

- Category changed from CD-FW to 依赖客户及其供应商解决

- Status changed from NEED_INFO to ASSIGNED

- Assignee changed from CD FW-程天颖 to CDTS_Test 吴诗雨

日志分析：

05-15 20:42:24.452 2236 15269 D RemoteControlService: After desEncrypt json is [{"type":"power","source":0,"token":"n0DhEcGdClTOZQy","value":"click"}]

中控发送电源键事件点亮副屏

05-15 20:42:48.016 2044 15341 D MicroService: Send message to IDCM:SocketMessageBean{businessData='21930', srcService='FSEM_SettingService', destService='IDCM_MultiScreenService', messageType='0', uuid='1684154568010075191', payloadData={"srcService":"FSEM_SettingService","dstService":"IDCM_MultiScreenService","messageType":0,"uuid":1684154568010075191,"methodName":"reportScreenDisplay","parameters":{"reportScreenDisplay":1}}}

副屏点亮屏幕后，给中控上报屏幕状态

05-15 20:42:51.735 2044 15354 D MicroService: Send message to IDCM:SocketMessageBean{businessData='21930', srcService='FSEM_SettingService', destService='IDCM_MultiScreenService', messageType='0', uuid='1684154571733033992', payloadData={"srcService":"FSEM_SettingService","dstService":"IDCM_MultiScreenService","messageType":0,"uuid":1684154571733033992,"methodName":"reportScreenDisplay","parameters":{"reportScreenDisplay":0}}}

副屏上报熄灭副屏

后续中控又发送了息屏电源键时间给副屏，点亮

05-15 20:43:00.046 2236 15381 D RemoteControlService: After desEncrypt json is [{"type":"power","source":0,"token":"n0DhEcGdClTOZQy","value":"click"}]

结论：中控获取到副屏状态改变后，又使用遥控器sdk发送了一次电源键事件打开副屏，需要中控检查语言控制逻辑并修改

建议：1.语音控制使用的遥控器sdk来控制副屏状态，在使用过程中可能会影响遥控器的功能使用，建议通过中控副屏通信有IDCM_MultiScreenService服务，来获取和设置副屏的屏幕状态

#5 - 2023-05-17 16:29 - CDTS_Test 吴诗雨

- Status changed from ASSIGNED to RESOLVED

#6 - 2023-05-17 16:29 - CDTS_Test 吴诗雨
- Status changed from RESOLVED to VERIFIED

#7 - 2023-05-17 16:29 - CDTS_Test 吴诗雨
- Status changed from VERIFIED to CLOSED

#8 - 2023-05-22 17:36 - CDTS_TEST 王成

Line 192143: 05-18 11:28:10.326 5520 5540 I HFSEM_REMOTE_CTRL: RemoteControlOpenApiManager-query connect co-driver screen
Line 192205: 05-18 11:28:10.526 5520 6571 I HFSEM_REMOTE_CTRL: RemoteControlOpenApiManager-query co-driver screen power status
Line 192241: 05-18 11:28:10.541 5520 6739 I HFSEM_REMOTE_CTRL: RemoteControlOpenApiManager-open co-driver screen
Line 193790: 05-18 11:28:15.346 5520 6739 I HFSEM_REMOTE_CTRL: RemoteControlOpenApiManager-already open co-driver screen
Line 195279: 05-18 11:28:19.550 5520 6687 I HFSEM_REMOTE_CTRL: RemoteControlOpenApiManager-open co-driver screen
Line 197838: 05-18 11:28:28.539 5520 6687 I HFSEM_REMOTE_CTRL: RemoteControlOpenApiManager-open co-driver screen
Line 200241: 05-18 11:28:37.545 5520 6739 I HFSEM_REMOTE_CTRL: RemoteControlOpenApiManager-already open co-driver screen
Line 202202: 05-18 11:28:46.546 5520 6631 I HFSEM_REMOTE_CTRL: RemoteControlOpenApiManager-already open co-driver screen
Line 204667: 05-18 11:28:55.542 5520 6739 I HFSEM_REMOTE_CTRL: RemoteControlOpenApiManager-already open co-driver screen
遥控器收到语音指令第一次打开副屏后 未重置请求状态 导致一直向服务端发送打开副屏 该逻辑已修改 新版本验证

Files			
050903 (1).tar.gz	28.3 MB	2023-05-10	CDTS_Test 吴诗雨
副屏自动亮屏.mp4	2.11 MB	2023-05-10	CDTS_Test 吴诗雨
20点41分复现IOVDEV-26824.7z	60.7 KB	2023-05-15	CDTS_TEST 王成